



Code: UKCAL-CWF-CON-EIA-RPT-00007-7B39

Volume 7B Proposed Development (Offshore) Appendices

Appendix 6-3 Offshore Ornithology Collision Risk Modelling Technical Report

Annex 3 Collision Risk Modelling Results (Caledonia South)

Caledonia Offshore Wind Farm Ltd

5th Floor Atria One, 144 Morrison Street, Edinburgh, EH3 8EX



Volume 7B Appendix 6-3 Annex 3 Collision Risk Modelling Results (Caledonia South)

Code	UKCAL-CWF-CON-EIA-RPT-00007-7B39
Revision	Issued
Date	18 October 2024

Table of Contents

1	Introduction	1
2	Results	2
2.1	Overview	2
2.2	Kittiwake	3
2.3	Great Black-Backed Gull	5
2.4	Herring Gull.....	7
2.5	Great Skua.....	9
2.6	Gannet (Guidance Approach)	11
2.7	Gannet (Applicant Approach).....	13
2.8	Gannet (excluding macro-avoidance).....	15
3	References	17

List of Tables

Table 1-1: OWF and WTG parameters used for CRM for the Caledonia South Site.	1
Table 2-1: Estimated monthly collisions for kittiwake in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the deterministic Band (2012) model.	3
Table 2-2: Estimated monthly collisions for kittiwake in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the stochastic Band (2012) model.	4
Table 2-3: Estimated monthly collisions for great black-backed gull in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the deterministic Band (2012) model.	5
Table 2-4: Estimated monthly collisions for great black-backed gull in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the stochastic Band (2012) model.	6
Table 2-5: Estimated monthly collisions for herring gull in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the deterministic Band (2012) model.	7
Table 2-6: Estimated monthly collisions for herring gull in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the stochastic Band (2012) model.	8
Table 2-7: Estimated monthly collisions for great skua in the Caledonia South Site for the three WTG scenarios (WTG 1, WTG 2 and WTG 3) using the deterministic Band (2012) model.	9
Table 2-8: Estimated monthly collisions for great skua in the Caledonia South Site for the three WTG scenarios (WTG 1, WTG 2 and WTG 3) using the stochastic Band (2012) model.	10
Table 2-9: Estimated monthly collisions for gannet in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the deterministic Band (2012) model for the Guidance Approach.	11
Table 2-10: Estimated monthly collisions for gannet in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the stochastic Band (2012) model for the Guidance Approach.	12

Table 2-11: Estimated monthly collisions for gannet in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the deterministic Band (2012) model for the Applicant Approach. ...	13
Table 2-12: Estimated monthly collisions for gannet in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the stochastic Band (2012) model for the Applicant Approach.	14
Table 2-13: Estimated monthly collisions for gannet in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the deterministic Band (2012) model excluding macro-avoidance correction factor.	15
Table 2-14: Estimated monthly collisions for gannet in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the stochastic Band (2012) model for the Applicant Approach.	16

Acronyms and Abbreviations

CI	Confidence Interval
HAT	Highest Astronomical Tide
km	Kilometre
CRM	Collision Risk Modelling
m	Metre
NAF	Nocturnal Activity Factor
OWF	Offshore Wind Farm
rpm	Revolutions Per Minute
SD	Standard Deviation
WTG	Wind Turbine Generator

1 Introduction

- 1.1.1.1 The results of Collision Risk Modelling (CRM) for the Caledonia Offshore Wind Farm (OWF), specifically Caledonia South, are presented within this annex. Three Wind Turbine Generator (WTG) options have been modelled using both the deterministic and stochastic basic Band (2012¹) model, Option 2. The full CRM methodology is outlined in Volume 7B, Appendix 6-3: Offshore Ornithology Collision Risk Modelling Technical Report.
- 1.1.1.2 The WTG parameters used within the CRM for the Caledonia South Site (Array Area) are presented in Table 1-1, with further information presented in Section 2.6 of Volume 7B, Appendix 6-3: Offshore Ornithology Collision Risk Modelling Technical Report. Estimated collisions are presented in Section 2.

Table 1-1: OWF and WTG parameters used for CRM for the Caledonia South Site.

Parameter	WTG 1 (S)		WTG 2 (S)	WTG 3 (S)	
	Fixed	Floating	Fixed	Fixed	Floating
Number of WTGs	24	29	47	39	24
Latitude (degrees)	58.13	58.13	58.13	58.13	58.13
Width (km)	28.90	28.90	28.90	28.90	28.90
Tidal offset (m)	2.19	0	2.19	2.19	2.19
Number of blades	3	3	3	3	3
Rotor radius (m)	155	145	155	118	155
Air gap relative to HAT (m)	35	35	35	35	35
Blade width (m)	7.5	7.5	7.5	7.5	7.5
Average pitch (°)	2	2	2	2	2
Average pitch SD (°)	No data (assumed 0)	No data (assumed 0)	No data (assumed 0)	No data (assumed 0)	No data (assumed 0)
Rotation speed (rpm)	8.4	8.4	8.4	8.4	8.4
Rotation speed SD (rpm)	No data (assumed 0)	No data (assumed 0)	No data (assumed 0)	No data (assumed 0)	No data (assumed 0)

2 Results

2.1 Overview

2.1.1.1 CRM outputs for the three WTG scenarios for the Caledonia South Site have been presented in the following sections for five species:

- Kittiwake (*Rissa tridactyla*) (Section 2.2);
- Great blacked-back gull (*Larus marinus*) (Section 2.3);
- Herring gull (*Larus argentatus*) (Section 2.4);
- Great skua (*Stercorarius skua*) (Section 2.5); and
- Gannet (*Morus bassanus*) (Sections 2.6, 2.7 and 2.8).

2.1.1.2 For gannet, an Applicant Approach was assessed in addition to the Guidance Approach. For the Applicant Approach, a macro-avoidance rate of 70% was applied to gannet CRM results; however, the macro-avoidance rate was only applied to the CRM results in the non-breeding season for the Guidance Approach. This accounts for the potential overestimation of impacts due to double counting of gannets that are likely to be displaced. Further information can be found in Volume 7B, Appendix 6-3: Offshore Ornithology Collision Risk Modelling Technical Report. The CRM results for gannet, without applying the macro-avoidance correction factor, are presented in Section 2.8.

2.2 Kittiwake

Table 2-1: Estimated monthly collisions for kittiwake in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the deterministic Band (2012¹) model.

Scenario	NAF (%)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
WTG 1 (S)	25	0.13	0.25	0.25	4.40	2.31	14.79	11.48	3.94	0.66	0.83	0.36	0.22	39.63
	50	0.17	0.33	0.31	5.03	2.54	15.91	12.46	4.43	0.78	1.03	0.48	0.30	43.77
WTG 2 (S)	25	0.11	0.23	0.22	3.90	2.05	13.12	10.18	3.50	0.59	0.73	0.32	0.19	35.14
	50	0.15	0.29	0.27	4.46	2.25	14.11	11.05	3.93	0.69	0.92	0.43	0.27	38.82
WTG 3 (S)	25	0.17	0.34	0.34	5.95	3.13	20.02	15.54	5.34	0.89	1.12	0.49	0.29	53.64
	50	0.23	0.44	0.41	6.81	3.44	21.54	16.87	5.99	1.05	1.40	0.65	0.41	59.25

Table 2-2: Estimated monthly collisions for kittiwake in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the stochastic Band (2012¹) model.

Scenario	CI	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
WTG 1 (S)	Mean	0.14	0.25	0.24	4.12	2.06	13.21	10.17	3.56	0.61	0.80	0.38	0.23	35.75
	2.5%	0.01	0.06	0.06	0.51	0.74	3.84	2.04	1.39	0.22	0.25	0.04	0.02	9.19
	97.5%	0.30	0.49	0.44	8.81	3.65	24.95	20.16	6.31	1.14	1.45	0.83	0.48	69.01
WTG 2 (S)	Mean	0.12	0.22	0.22	3.73	1.86	11.90	9.43	3.15	0.56	0.72	0.34	0.20	32.45
	2.5%	0.01	0.05	0.06	0.43	0.61	3.29	1.99	1.20	0.19	0.24	0.05	0.03	8.15
	97.5%	0.27	0.42	0.42	7.76	3.39	22.68	19.55	5.69	1.00	1.30	0.76	0.46	63.69
WTG 3 (S)	Mean	0.19	0.34	0.33	5.78	2.83	17.70	14.60	4.91	0.85	1.09	0.53	0.32	49.46
	2.5%	0.02	0.08	0.08	0.94	1.00	4.82	3.57	1.89	0.28	0.29	0.06	0.04	13.08
	97.5%	0.42	0.67	0.62	12.61	5.02	33.23	28.75	8.63	1.58	2.05	1.18	0.69	95.44

2.3 Great Black-Backed Gull

Table 2-3: Estimated monthly collisions for great black-backed gull in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the deterministic Band (2012¹) model.

Scenario	NAF (%)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
WTG 1 (S)	25	1.04	1.05	0	0	0	0	0	0	0	0	1.64	0.54	4.27
	50	1.42	1.35	0	0	0	0	0	0	0	0	2.19	0.76	5.72
WTG 2 (S)	25	0.92	0.93	0	0	0	0	0	0	0	0	1.46	0.48	3.79
	50	1.26	1.19	0	0	0	0	0	0	0	0	1.94	0.67	5.07
WTG 3 (S)	25	1.38	1.39	0	0	0	0	0	0	0	0	2.18	0.72	5.67
	50	1.86	1.76	0	0	0	0	0	0	0	0	2.87	0.99	7.58

Table 2-4: Estimated monthly collisions for great black-backed gull in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the stochastic Band (2012¹) model.

Scenario	CI	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
WTG 1 (S)	Mean	1.44	1.38	0	0	0	0	0	0	0	0	2.19	0.75	5.75
	2.5%	0.30	0.22	0	0	0	0	0	0	0	0	0.37	0.09	0.98
	97.5%	3.03	2.93	0	0	0	0	0	0	0	0	4.61	1.69	12.25
WTG 2 (S)	Mean	1.27	1.23	0	0	0	0	0	0	0	0	2.01	0.67	5.18
	2.5%	0.15	0.21	0	0	0	0	0	0	0	0	0.30	0.08	0.74
	97.5%	2.61	2.48	0	0	0	0	0	0	0	0	4.15	1.45	10.71
WTG 3 (S)	Mean	1.90	1.84	0	0	0	0	0	0	0	0	2.96	1.02	7.72
	2.5%	0.34	0.33	0	0	0	0	0	0	0	0	0.45	0.20	1.32
	97.5%	4.09	3.92	0	0	0	0	0	0	0	0	6.27	2.20	16.48

2.4 Herring Gull

Table 2-5: Estimated monthly collisions for herring gull in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the deterministic Band (2012¹) model.

Scenario	NAF (%)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
WTG 1 (S)	25	0.24	0.25	0	0	0	0	0	0	0	0	0.50	0.54	1.53
	50	0.33	0.32	0	0	0	0	0	0	0	0	0.66	0.76	2.07
WTG 2 (S)	25	0.22	0.22	0	0	0	0	0	0	0	0	0.44	0.48	1.35
	50	0.29	0.28	0	0	0	0	0	0	0	0	0.59	0.67	1.83
WTG 3 (S)	25	0.32	0.33	0	0	0	0	0	0	0	0	0.66	0.72	2.04
	50	0.44	0.42	0	0	0	0	0	0	0	0	0.89	1.01	2.76

Table 2-6: Estimated monthly collisions for herring gull in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the stochastic Band (2012¹) model.

Scenario	CI	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
WTG 1 (S)	Mean	0.33	0.32	0	0	0	0	0	0	0	0	0.64	0.74	2.02
	2.5%	0.03	0.03	0	0	0	0	0	0	0	0	0.06	0.06	0.18
	97.5%	0.80	0.76	0	0	0	0	0	0	0	0	1.57	1.86	4.99
WTG 2 (S)	Mean	0.29	0.28	0	0	0	0	0	0	0	0	0.60	0.67	1.84
	2.5%	0.02	0.03	0	0	0	0	0	0	0	0	0.07	0.07	0.20
	97.5%	0.68	0.66	0	0	0	0	0	0	0	0	1.44	1.62	4.39
WTG 3 (S)	Mean	0.43	0.42	0	0	0	0	0	0	0	0	0.89	0.98	2.72
	2.5%	0.04	0.04	0	0	0	0	0	0	0	0	0.09	0.07	0.24
	97.5%	1.09	1.01	0	0	0	0	0	0	0	0	2.15	2.48	6.73

2.5 Great Skua

Table 2-7: Estimated monthly collisions for great skua in the Caledonia South Site for the three WTG scenarios (WTG 1, WTG 2 and WTG 3) using the deterministic Band (2012¹) model.

Scenario	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
WTG 1	0	0	0	0	0	0	0.02	0.02	0	0	0	0	0.05
WTG 2	0	0	0	0	0	0	0.02	0.02	0	0	0	0	0.04
WTG 3	0	0	0	0	0	0	0.03	0.03	0	0	0	0	0.06

Table 2-8: Estimated monthly collisions for great skua in the Caledonia South Site for the three WTG scenarios (WTG 1, WTG 2 and WTG 3) using the stochastic Band (2012¹) model.

Scenario	CI	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
WTG 1	Mean	0	0	0	0	0	0	0.02	0.02	0	0	0	0	0.04
	2.5%	0	0	0	0	0	0	0	0	0	0	0	0	0.01
	97.5%	0	0	0	0	0	0	0.05	0.04	0	0	0	0	0.10
WTG 2	Mean	0	0	0	0	0	0	0.02	0.02	0	0	0	0	0.04
	2.5%	0	0	0	0	0	0	0	0	0	0	0	0	0
	97.5%	0	0	0	0	0	0	0.04	0.04	0	0	0	0	0.09
WTG 3	Mean	0	0	0	0	0	0	0.03	0.03	0	0	0	0	0.06
	2.5%	0	0	0	0	0	0	0	0	0	0	0	0	0.01
	97.5%	0	0	0	0	0	0	0.07	0.06	0	0	0	0	0.13

2.6 Gannet (Guidance Approach)

Table 2-9: Estimated monthly collisions for gannet in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the deterministic Band (2012¹) model for the Guidance Approach.

Scenario	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
WTG 1 (S)	0.02	0	0.04	0.34	0.12	4.71	0.73	0.70	1.13	0.16	0.06	0.02	8.03
WTG 2 (S)	0.02	0	0.03	0.30	0.10	4.18	0.64	0.62	1.00	0.14	0.05	0.02	7.12
WTG 3 (S)	0.02	0	0.05	0.44	0.15	6.02	0.93	0.90	1.45	0.21	0.08	0.02	10.25

Table 2-10: Estimated monthly collisions for gannet in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the stochastic Band (2012¹) model for the Guidance Approach.

Scenario	CI	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
WTG 1 (S)	Mean	0.02	0	0.05	0.35	0.12	4.87	0.73	0.69	1.12	0.16	0.06	0.02	8.18
	2.5%	0	0	0	0.03	0.01	0.37	0.11	0.14	0.21	0.03	0.01	0	0.91
	97.5%	0.06	0	0.16	1.02	0.39	14.28	1.91	1.64	2.73	0.41	0.16	0.06	22.83
WTG 2 (S)	Mean	0.02	0	0.05	0.34	0.11	4.50	0.66	0.64	1.02	0.15	0.06	0.02	7.56
	2.5%	0	0	0	0.03	0.01	0.40	0.09	0.13	0.18	0.03	0.01	0	0.87
	97.5%	0.06	0	0.15	0.97	0.35	12.67	1.79	1.55	2.50	0.39	0.17	0.06	20.67
WTG 3 (S)	Mean	0.03	0	0.07	0.47	0.17	6.42	0.93	0.93	1.47	0.21	0.08	0.03	10.80
	2.5%	0	0	0	0.03	0.01	0.45	0.13	0.19	0.29	0.04	0.01	0	1.16
	97.5%	0.09	0	0.21	1.43	0.51	19.22	2.44	2.21	3.60	0.57	0.23	0.08	30.58

2.7 Gannet (Applicant Approach)

Table 2-11: Estimated monthly collisions for gannet in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the deterministic Band (2012¹) model for the Applicant Approach.

Scenario	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
WTG 1 (S)	0.02	0	0.02	0.10	0.03	1.41	0.22	0.21	0.34	0.16	0.06	0.02	2.60
WTG 2 (S)	0.02	0	0.02	0.09	0.03	1.25	0.19	0.19	0.30	0.14	0.05	0.02	2.30
WTG 3 (S)	0.02	0	0.02	0.13	0.04	1.80	0.28	0.27	0.43	0.21	0.08	0.02	3.32

Table 2-12: Estimated monthly collisions for gannet in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the stochastic Band (2012¹) model for the Applicant Approach.

Scenario	CI	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
WTG 1 (S)	Mean	0.02	0	0.02	0.10	0.04	1.46	0.22	0.21	0.34	0.16	0.06	0.02	2.64
	2.5%	0	0	0	0.01	0	0.11	0.03	0.04	0.06	0.03	0.01	0	0.30
	97.5%	0.06	0	0.08	0.31	0.12	4.28	0.57	0.49	0.82	0.41	0.16	0.06	7.36
WTG 2 (S)	Mean	0.02	0	0.02	0.10	0.03	1.35	0.20	0.19	0.30	0.15	0.06	0.02	2.44
	2.5%	0	0	0	0.01	0	0.12	0.03	0.04	0.06	0.03	0.01	0	0.29
	97.5%	0.06	0	0.07	0.29	0.10	3.80	0.54	0.46	0.75	0.39	0.17	0.06	6.70
WTG 3 (S)	Mean	0.03	0	0.03	0.14	0.05	1.93	0.28	0.28	0.44	0.21	0.08	0.03	3.49
	2.5%	0	0	0	0.01	0	0.14	0.04	0.06	0.09	0.04	0.01	0	0.38
	97.5%	0.09	0	0.10	0.43	0.15	5.77	0.73	0.66	1.08	0.57	0.23	0.08	9.89

2.8 Gannet (excluding macro-avoidance)

Table 2-13: Estimated monthly collisions for gannet in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the deterministic Band (2012¹) model excluding macro-avoidance correction factor.

Scenario	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
WTG 1 (S)	0.06	0	0.06	0.33	0.11	4.61	0.71	0.69	1.11	0.53	0.19	0.06	8.47
WTG 2 (S)	0.06	0	0.05	0.30	0.10	4.18	0.64	0.62	1.00	0.48	0.18	0.05	7.67
WTG 3 (S)	0.08	0	0.08	0.44	0.15	6.02	0.93	0.90	1.45	0.70	0.25	0.07	11.05

Table 2-14: Estimated monthly collisions for gannet in the Caledonia South Site for the three WTG scenarios (WTG 1 (S), WTG 2 (S) and WTG 3 (S)) using the stochastic Band (2012¹) model for the Applicant Approach.

Scenario	CI	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
WTG 1 (S)	Mean	0.07	0	0.08	0.35	0.12	4.87	0.73	0.69	1.12	0.54	0.20	0.06	8.81
	2.5%	0	0	0	0.03	0.01	0.37	0.11	0.14	0.21	0.10	0.02	0	1.00
	97.5%	0.21	0	0.25	1.02	0.39	14.28	1.91	1.64	2.73	1.36	0.55	0.20	24.54
WTG 2 (S)	Mean	0.06	0	0.07	0.34	0.11	4.50	0.66	0.64	1.02	0.50	0.19	0.06	8.15
	2.5%	0	0	0	0.03	0.01	0.40	0.09	0.13	0.18	0.09	0.02	0	0.96
	97.5%	0.19	0	0.23	0.97	0.35	12.67	1.79	1.55	2.50	1.32	0.57	0.20	22.34
WTG 3 (S)	Mean	0.09	0	0.10	0.47	0.17	6.42	0.93	0.93	1.47	0.71	0.26	0.08	11.63
	2.5%	0	0	0	0.03	0.01	0.45	0.13	0.19	0.29	0.13	0.03	0.01	1.28
	97.5%	0.29	0	0.33	1.43	0.51	19.22	2.44	2.21	3.60	1.91	0.76	0.27	32.96

3 **References**

¹ Band, W. (2012) 'Using a Collision Risk Model to Assess Bird Collision Risks for Offshore Wind Farms'. Report by BTO. Report for The Crown Estate

Caledonia Offshore Wind Farm
5th Floor, Atria One
144 Morrison Street
Edinburgh
EH3 8EX

www.caledoniaoffshorewind.com

