



**Code:** UKCAL-CWF-CON-EIA-RPT-00007-7D04

## **Volume 7D Caledonia South Appendices**

### **Appendix 7-1 Marine Mammals Population Modelling (iPCoD)**

**Caledonia Offshore Wind Farm Ltd**

5th Floor Atria One, 144 Morrison Street, Edinburgh, EH3 8EX



# Volume 7D Appendix 7-1 Marine Mammals Population Modelling (iPCoD)

<b>Code</b>	UKCAL-CWF-CON-EIA-RPT-00007-7D04
<b>Revision</b>	Issued
<b>Date</b>	18 October 2024

# Table of Contents

1	Marine Mammals Population Modelling (iPCoD) .....	1
1.1	Introduction .....	1
1.2	iPCoD Model .....	1
1.2.1	Overview .....	1
1.2.2	Precaution in the iPCoD for Caledonia South .....	2
1.3	iPCoD Model Limitations .....	2
1.3.1	Overview .....	2
1.3.2	Duration of Disturbance: Minke Whales and Bottlenose Dolphins .....	3
1.3.3	Lack of Density Dependence .....	4
1.3.4	Environmental and Demographic Stochasticity .....	4
1.3.6	Summary .....	6
1.4	iPCoD Scenarios .....	6
1.4.1	Species .....	6
1.4.2	Caledonia South Alone .....	6
1.4.3	Cumulative Impact Assessment (CIA) .....	9
1.5	Harbour Porpoise .....	14
1.5.1	Caledonia South Alone .....	14
1.5.2	Cumulative Impact .....	17
1.6	Bottlenose Dolphin .....	20
1.6.1	Caledonia South Alone .....	20
1.6.2	Cumulative Impact .....	23
1.7	Minke Whale .....	28
1.7.1	Caledonia South Alone .....	28
1.7.2	Cumulative Impact .....	30
1.8	Harbour Seal .....	34
1.8.1	Caledonia South Alone .....	34
1.8.2	Cumulative Impact .....	37
1.9	Grey Seal .....	41
1.9.1	Caledonia South Alone .....	41
1.9.2	Cumulative Impact .....	44
1.10	References .....	47

## List of Figures

Figure 1-1: Simulated un-impacted (baseline) population size over the 25 years modelled. ....	5
Figure 1-2: Predicted population trajectories for the un-impacted (baseline) and impacted harbour porpoise iPCoD simulations (top graph – NS MU and bottom graph – UK portion of the NS MU). ....	16
Figure 1-3: Predicted population trajectories for the un-impacted (baseline) and impacted harbour porpoise cumulative iPCoD simulations (NS MU). ....	19
Figure 1-4: Predicted population trajectories for the un-impacted (baseline) and impacted bottlenose dolphin iPCoD simulations for the CES MU. ....	21
Figure 1-5: Predicted population trajectories for the un-impacted (baseline) and impacted bottlenose dolphin iPCoD simulations for the GNS MU. ....	22
Figure 1-6: Predicted population trajectories for the un-impacted (baseline) and impacted bottlenose dolphin cumulative iPCoD simulations (CES MU). ....	26
Figure 1-7: Predicted population trajectories for the un-impacted (baseline) and impacted bottlenose dolphin cumulative iPCoD simulations (GNS MU). ....	27
Figure 1-8: Predicted population trajectories for the un-impacted (baseline) and impacted minke whale iPCoD simulations (top graph – GCNS MU and bottom graph – UK portion of the GCNS MU) ....	30
Figure 1-9: Predicted population trajectories for the un-impacted (baseline) and impacted minke whale cumulative iPCoD simulations (CGNS MU). ....	33
Figure 1-10: Predicted population trajectories for the un-impacted (baseline) and impacted harbour seal iPCoD simulations (MF SMU, Scenario 2). ....	35
Figure 1-11: Predicted population trajectories for the un-impacted (baseline) and impacted harbour seal iPCoD simulations (NC&O SMU). ....	36
Figure 1-12: Predicted population trajectories for the un-impacted (baseline) and impacted harbour seal cumulative iPCoD simulations (MF SMU). ....	40
Figure 1-13: Predicted population trajectories for the un-impacted (baseline) and impacted harbour seal cumulative iPCoD simulations (NC&O SMU). ....	41
Figure 1-14: Predicted population trajectories for the un-impacted (baseline) and impacted grey seal iPCoD simulations (MF SMU). ....	42

Figure 1-15: Predicted population trajectories for the un-impacted (baseline) and impacted grey seal for iPCoD simulations (MF, ES and NC&O SMUs combined).....43

Figure 1-16: Predicted population trajectories for the un-impacted (baseline) and impacted grey seal cumulative iPCoD simulations (combined SMUs)..46

## List of Tables

Table 1-1: Marine mammal reference populations taken forward to the iPCoD.	6
Table 1-2: Demographic parameters used in the iPCoD modelling from Sinclair <i>et al.</i> (2020).....	8
Table 1-3: Time points selected for the presentation of iPCoD modelling results. ....	9
Table 1-4: List of projects and developments considered in the marine mammal cumulative iPCoD along with the construction and anticipated piling timeframes. ....	11
Table 1-5: List of projects and information whether these been screened in for species-specific iPCoD. ....	12
Table 1-6: Projects screened into the cumulative iPCoD with parameters used in the model. ....	13
Table 1-7: Results of iPCoD modelling for harbour porpoise (whole NS MU and the UK portion of the NS MU). ....	15
Table 1-8: The number of harbour porpoise predicted to be disturbed for each project, based on either the project-specific values presented in respective EIARs or calculated based on the EDRs and SCANS IV densities. ....	17
Table 1-9: Time points selected for the presentation of cumulative iPCoD modelling results for cumulative impacts on the NS MU for harbour porpoise. ....	18
Table 1-10: Results of cumulative iPCoD modelling for harbour porpoise (NS MU).....	19
Table 1-11: Results of iPCoD modelling for bottlenose dolphin for the CES MU. ....	21
Table 1-12: Results of iPCoD modelling for bottlenose dolphin for the GNS MU. Time point descriptions are provided in Table 1-3. ....	22
Table 1-13: The number of bottlenose dolphin predicted to be disturbed for each project, based on either the project-specific values presented in respective EIARs or calculated based on the EDRs and SCANS IV densities. ....	23
Table 1-14: Time points selected for the presentation of cumulative iPCoD modelling results for cumulative impacts on the CES MU for bottlenose dolphin. ....	23



Table 1-15: Results of cumulative iPCoD modelling for bottlenose dolphin (CES MU).....	25
Table 1-16: Results of cumulative iPCoD modelling for bottlenose dolphin (GNS MU).....	27
Table 1-17: Results of iPCoD modelling for minke whale (whole NS MU and the UK portion of the NS MU).....	29
Table 1-18: The number of minke whales predicted to be disturbed for each project, based on either the project-specific values presented in respective EIARs or calculated based on the EDRs and SCANS IV densities.....	31
Table 1-19: Time points selected for the presentation of cumulative iPCoD modelling results for cumulative impacts on the NS MU for minke whales.	32
Table 1-20: Results of cumulative iPCoD modelling for minke whales (CGNS MU).....	33
Table 1-21: Results of iPCoD modelling for harbour seal (MF SMU).....	35
Table 1-22: Results of iPCoD modelling for harbour seal (NC&O SMU). ....	36
Table 1-23: The number of harbour seal predicted to be disturbed for each project, based on either the project-specific values presented in respective EIARs or calculated based on the EDRs and SCANS IV densities.....	37
Table 1-24: Time points selected for the presentation of cumulative iPCoD modelling results for cumulative impacts on the MF SMU for harbour seals. ....	37
Table 1-25: Results of cumulative iPCoD modelling for harbour seals (MF SMU). ....	39
Table 1-26: Results of cumulative iPCoD modelling for harbour seals (NC&O SMU).....	40
Table 1-27: Results of iPCoD modelling for grey seal (MF SMU). ....	42
Table 1-28: Results of iPCoD modelling for grey seal (MF, ES and NC&O SMUs combined).....	43
Table 1-29: The number of grey seal predicted to be disturbed for each project, based on either the project-specific values presented in respective EIARs or calculated based on the EDRs and SCANS IV densities.....	44
Table 1-30: Time points selected for the presentation of cumulative iPCoD modelling results for cumulative impacts on the combined SMUs for grey seals. ....	45



Table 1-31: Results of cumulative iPCoD modelling for grey seals (combined SMUs). .....46



## Acronyms and Abbreviations

<b>CES</b>	Coastal East Scotland
<b>CGNS</b>	Celtic and Greater North Sea
<b>CIA</b>	Cumulative Impact Assessment
<b>EDR</b>	Effective Deterrence Range
<b>EIA</b>	Environment Impact Assessment
<b>EIAR</b>	Environment Impact Assessment Report
<b>ES</b>	East Scotland
<b>GNS</b>	Greater North Sea
<b>iPCoD</b>	Interim Population Consequences of Disturbance Model
<b>km</b>	Kilometres
<b>MF</b>	Moray Firth
<b>MU</b>	Management Unit
<b>NC&amp;O</b>	North Coast and Orkney
<b>NS</b>	North Sea
<b>OSP</b>	Offshore Substation Platform
<b>OWF</b>	Offshore Wind Farm
<b>PTS</b>	Permanent Threshold Shift
<b>SCANS</b>	Small Cetaceans in European Atlantic waters and the North Sea
<b>SCOS</b>	Special Committee on Seals
<b>SMU</b>	Seal Management Unit
<b>WTG</b>	Wind Turbine Generator

# 1 Marine Mammals Population Modelling (iPCoD)

## 1.1 Introduction

- 1.1.1.1 This Appendix of the Environmental Impact Assessment Report (EIAR) provides a full set of results for the evaluation of the potential for population level effects from disturbance to marine mammals as a result of the underwater noise during piling at the Caledonia Offshore Wind farm (OWF), specifically the Caledonia South Site. This includes results for piling scenarios for Caledonia South alone, and cumulatively with other projects.
- 1.1.1.2 The results presented in Sections 1.5 to 1.9 are used to inform the assessment of magnitude of underwater noise during piling resulting in behavioural disturbance to harbour porpoise, bottlenose dolphin, minke whale, harbour seal and grey seal in Volume 4, Chapter 7: Marine Mammals.

## 1.2 iPCoD Model

### 1.2.1 Overview

- 1.2.1.1 The Interim Population Consequences of Disturbance (iPCoD) framework (Harwood *et al.*, 2014b<sup>1</sup>; King *et al.*, 2015<sup>2</sup>) was used to predict the potential population consequences of the predicted amount of Permanent Threshold Shift (PTS) and disturbance resulting from the piling. iPCoD uses a stage structured model of population dynamics with nine age classes and one stage class (adults 10 years and older). The model is used to run a number of simulations of future population trajectory with and without the predicted level of impact, to allow an understanding of the potential future population level consequences of predicted behavioural responses and auditory injury.
- 1.2.1.2 Simulations were run comparing projections of the baseline population (i.e., under current conditions, assuming current estimates of demographic parameters persist into the future) with a series of paired 'impact' scenarios with identical demographic parameters, incorporating a range of estimates for disturbance. Each simulation was repeated 1,000 times and each simulation draws parameter values from a distribution describing the uncertainty in the parameters. This creates 1,000 matched pairs of population trajectories, differing only with respect to the effect of the disturbance and the distributions of the two trajectories can be compared to demonstrate the magnitude of the

long-term effect of the predicted impact on the population, as well as demonstrating the uncertainty in predictions.

- 1.2.1.3 The effects of disturbance on vital rates (survival and reproduction) are currently unknown. Therefore, expert elicitation was used to construct a probability distribution to represent the knowledge and beliefs of a group of experts regarding a specific Quantity of Interest. In this case, the quantity of interest is the effect of disturbance on the probability of survival and fertility in harbour porpoise, harbour seal and grey seals (Booth *et al.*, 2019<sup>3</sup>). The elicitation assumed that the behaviour of the disturbed porpoise would be altered for 6 hours on the day of disturbance, and that no feeding (or nursing) would occur during the 6 hours of disturbance. For seals, the experts assumed that on average, the behaviour of the disturbed seals would be impacted for much less than 24 hours, but did not define an exact duration.

## 1.2.2 Precaution in the iPCoD for Caledonia South

- 1.2.2.1 It should be noted that the results presented in Sections 1.5 to 1.9 are precautionary as modelling is based on the worst-case scenario parameters used within the Volume 4, Chapter 7: Marine Mammals. The worst-case temporal scenario, further discussed in Section 0, are based on a piling schedule, which assume that only four pin piles for jackets and (an average of) 1.71 pin piles for anchors will be installed per day, resulting in up to 451 piling days. The worst-case number animals and of piling days are expected to decrease once the final piling parameters are known post-consent.
- 1.2.2.2 The iPCoD modelling will therefore be rerun when parameters of Caledonia South are finalised post-consent and results will be discussed and presented in the Piling Strategy.

## 1.3 iPCoD Model Limitations

### 1.3.1 Overview

- 1.3.1.1 There is a lack of empirical data on the way in which changes in behaviour and hearing sensitivity may affect the ability of individual marine mammals to survive and reproduce. Therefore, in the absence of empirical data, the iPCoD framework uses the results of an expert elicitation process conducted according to the protocol described in Donovan *et al.* (2016<sup>4</sup>) to predict the effects of disturbance and PTS on survival and reproductive rate. The process generates a set of statistical distributions for these effects and then simulations are conducted using values randomly selected from these distributions that represent the

opinions of a “virtual” expert. This process is repeated many 100s of times to capture the uncertainty among experts.

#### 1.3.1.2

There are several precautions built into the iPCoD model and this specific scenario that mean that the results are considered to be highly precautionary and likely over-estimate the true population level effects. These include:

- The fact that the model assumes a minke whales will not forage for 24 hours after being disturbed (see Section 1.3.2),
- The lack of density dependence in the model (meaning the population will not respond to any reduction in population size; see Section 1.3.3),
- The level of environmental and demographic stochasticity in the model (see Section 1.3.4), and
- The estimates of the number of animals disturbed come from noise impact assessments with many levels of precaution (see Volume 7B, Appendix 7-2: Underwater Noise Assessment Methodology for more details).

### 1.3.2

#### **Duration of Disturbance: Minke Whales and Bottlenose Dolphins**

#### 1.3.2.1

The iPCoD model for minke whale and bottlenose dolphin disturbance was last updated following the expert elicitation in 2013 (Harwood *et al.*, 2014<sup>1</sup>). When this expert elicitation was conducted, the experts provided responses on the assumption that a disturbed individual would not forage for 24 hours. However, the most recent expert elicitation in 2018 highlighted that this was an unrealistic assumption for harbour porpoises (generally considered to be more responsive than minke whales and bottlenose dolphins), and was amended to assume that disturbance resulted in six hours of non-foraging time (Booth *et al.*, 2019<sup>3</sup>). Unfortunately, neither minke whale nor bottlenose dolphins were included in the updated expert elicitation for disturbance, and thus the iPCoD model still assumes 24 hours of non-foraging time for both minke whales and bottlenose dolphins. This is unrealistic considering what we now know about marine mammal behavioural responses to pile driving. A recent study estimated energetic costs associated with disturbance from sonar, where it was assumed that one hour of feeding cessation was classified as a mild response, two hours of feeding cessation was classified as a strong response and eight hours of feeding cessation was classified as an extreme response (Czapanskiy *et al.*, 2021<sup>5</sup>). Assuming 24 hours of feeding cessation for both minke whales and bottlenose dolphins in the iPCoD model is significantly beyond that which is considered to be an extreme response, and is therefore

considered to be unrealistic and will over-estimate the true disturbance levels expected from Caledonia South.

### 1.3.3 Lack of Density Dependence

- 1.3.3.1 Density dependence is described as “the process whereby demographic rates change in response to changes in population density, resulting in an increase in the population growth rate when density decreases and a decrease in that growth rate when density increases” (Harwood *et al.*, 2014<sup>1</sup>). The iPCoD assumes no density dependence for any of the species available in the model, since there is insufficient data to parameterise this relationship. Essentially, this means that there is no ability for the modelled, impacted population to increase in size and return to carrying capacity following disturbance. It is possible that populations with a positive growth rate (i.e., an increasing population) will continue to increase in the absence of disturbance.
- 1.3.3.2 At a recent expert elicitation, conducted for the purpose of modelling population impacts of the Deepwater Horizon oil spill (Schwacke *et al.*, 2021<sup>6</sup>), experts agreed that there would likely be a concave density dependence on fertility. That means, for a population which is assumed to be stable (i.e., neither increasing or decreasing), it would be expected that if the impacted population declines, it would later recover to carrying capacity, rather than continuing at a stable trajectory that is smaller than that of the un-impacted population. Note that in the iPCoD model, for stable populations, carrying capacity is assumed to be equal to the size of un-impacted population (i.e., it is assumed the un-impacted population is at carrying capacity).

### 1.3.4 Environmental and Demographic Stochasticity

- 1.3.4.1 The iPCoD model attempts to model some of the sources of uncertainty inherent in the calculation of the potential effects of disturbance on marine mammal population. This includes demographic stochasticity and environmental variation. Environmental variation is defined as “the variation in demographic rates among years as a result of changes in environmental conditions” (Harwood *et al.*, 2014<sup>1</sup>). Demographic stochasticity is defined as “variation among individuals in their realised vital rates as a result of random processes” (Harwood *et al.*, 2014<sup>1</sup>).
- 1.3.4.2 The iPCoD protocol describes this in further detail: “Demographic stochasticity is caused by the fact that, even if survival and fertility rates are constant, the number of animals in a population that die and give birth will vary from year to year because of chance events. Demographic stochasticity has its greatest effect on the dynamics of relatively small populations, and we have incorporated it in models for all situations where the estimated population within a Management Unit

(MU) is less than 3000 individuals. One consequence of demographic stochasticity is that two otherwise identical populations that experience exactly the same sequence of environmental conditions will follow slightly different trajectories over time. As a result, it is possible for a “lucky” population that experiences disturbance effects to increase, whereas an identical undisturbed but “unlucky” population may decrease” (Harwood *et al.*, 2014<sup>1</sup>).

#### 1.3.4.3

This is clearly evidenced in the outputs of iPCoD where the un-impacted (baseline) population size varies greatly between iterations, not as a result of disturbance but simply as a result of environmental and demographic stochasticity. In the example provided in Figure 1-1, after 25 years of simulation, the un-impacted population size varies between 6,692 (lower 2.5%) and 16,516 (upper 97.5%). Thus, the change in population size resulting from the impact of disturbance is significantly smaller than that driven by the environmental and demographic stochasticity in the model.




Figure 1-1: Simulated un-impacted (baseline) population size over the 25 years modelled.

### 1.3.6 Summary

- 1.3.6.1 All of these precautions built into the iPCoD model mean that the results are considered to be highly conservative. Despite these limitations and uncertainties, this assessment has been carried out according to best practice and using the best available scientific information. The information provided is therefore considered to be sufficient to carry out an adequate assessment, though a level of precaution around the results should be taken into account when drawing conclusions.

## 1.4 iPCoD Scenarios

### 1.4.1 Species

- 1.4.1.1 The population modelling was provided for five species, presented in Table 1-1 alongside their respective MUs.

Table 1-1: Marine mammal reference populations taken forward to the iPCoD.

Species	MU
Harbour porpoise	North Sea (NS)
Bottlenose dolphin	Coastal East Scotland (CES)
	Greater North Sea (GNS)
Minke whale	Celtic and Greater North Seas (CGNS)
Harbour seal	East Scotland (ES), Moray Firth (MF), North Coast and Orkney (NC&O)
Grey seal	ES, MF, NC&O

### 1.4.2 Caledonia South Alone

- 1.4.2.1 Three foundation designs have been considered in the underwater noise modelling, including monopiles for bottom-fixed foundations, multi-leg foundations for bottom-fixed jacket foundations and anchors for floating foundations. Piling at monopiles represent the worst-case spatial scenario due to the largest hammer energy required for installation (see Volume 7B, Appendix 7-3: Marine Mammals Piling Results (Auditory Injury and Disturbance) for areas and ranges of effect). Considering the minor differences in the spatial extent of underwater noise generated by piling at jackets and anchors compared to monopiles, and, given that the piling process for jackets and anchors (451 days) can take up to eleven times longer than for monopiles (40 piling days), only the



combination of jackets and anchors has been used to inform the iPCoD modelling as it represents the worst-case temporal scenario. More details regarding the worst-case spatial and temporal scenarios is provided in Volume 4, Chapter 7: Marine Mammals. It is important to note that, based on the DE, concurrent piling at two locations at the same time is possible during construction of Caledonia South; however, applying this assumption would reduce the overall time required for piling. Since the iPCoD scenario aims to represent the worst-case temporal scenario, the modelling assumes no concurrent piling activities within the Caledonia South Site at any given time, ensuring the maximum possible installation duration is assessed.

- 1.4.2.2 The assessment provided in Volume 4, Chapter 7: Marine Mammals showed that there is no residual risk of injury as a result of underwater noise during piling to any of the species. Therefore, across all iPCoD scenarios it was assumed that zero animals will experience auditory injury (PTS).
- 1.4.2.3 One piling scenario was considered for the installation of Caledonia South. The scenario assumes sequential piling of a mixture of bottom-fixed and floating foundations in the Caledonia South Site with four pin piles installed per day for bottom-fixed substructures (one full substructure jacket per day) and 1.71 anchor pile is installed per day for floating substructures. The total piling duration is 451 days between October 2028 and September 2030 and accounts for 41 days for bottom-fixed jackets (39 wind turbine generators (WTGs) and two offshore substation platforms (OSPs)) and 410 days for anchors (39 floating WTGs with 16 anchors per WTG).

## Number of Animals Impacted and Demographic Parameters

- 1.4.2.4 The number of animals disturbed used in the modelling is based on the maximum number of animals predicted for pin piles at jackets (locations 3, 4, 7 and 8) and anchors (locations 5, 6, 7 and 8). Given that the iPCoD assessment is based on the worst-case temporal scenario, number of animals impacted is based on single piling to ensure the maximum duration of overall installation. See paragraph 1.4.2.1 for discussion regarding scenario taken forward to the iPCoD.
- 1.4.2.5 The number of animals disturbed taken forward to the iPCoD is described for each species in Sections 1.5.1, 1.6.1, 1.7.1, 1.8.1 and 1.9.1. See Volume 7B, Appendix 7-3: Marine Mammals Piling Results (Auditory Injury and Disturbance) for complete set of numbers for each location.
- 1.4.2.6 The MU specific demographic parameters used in the iPCoD modelling were obtained from Sinclair *et al.* (2020<sup>7</sup>) and are summarised in Table 1-2.

Table 1-2: Demographic parameters used in the iPCoD modelling from Sinclair *et al.* (2020<sup>7</sup>).

Parameters	Harbour Porpoise	Bottlenose Dolphin		Minke Whale	Harbour Seal		Grey Seal	
MU Name	NS	CES	GNS	CGNS	MF	NC&O	MF	MF, NC&O, ES
MU Abundance	346,601	245	2,022	20,118	958	1,951	7,380	52,354
UK MU Abundance	159,632	N/A	N/A	10,288	N/A	N/A	N/A	N/A
Calf/pup survival	0.8455	0.925	0.86	0.7	0.4	0.24	0.222	0.222
Juvenile survival	0.85	0.962	0.94	0.77	0.78	0.86	0.94	0.94
Adult survival	0.925	0.98	0.94	0.96	0.92	0.8	0.94	0.94
Fertility	0.34	0.24	0.25	0.91	0.85	0.9	0.84	0.84
Age at independence	1	3	2	1	1	1	1	1
Age at first birth	5	9	9	9	4	4	6	6

## Selected Time Points from iPCoD Simulations

- 1.4.2.7 The time points presented in Table 1-3 have been selected to represent as best as possible, a level of periodicity on population estimates following piling.

Table 1-3: Time points selected for the presentation of iPCoD modelling results.

Time Points Selected (Indicative Year)	Time point description
2027	Before piling starts at Caledonia South
2028	The end of first year of piling at Caledonia South
2029	The end of second year of piling at Caledonia South
2030	The end of third (final) year of piling at Caledonia South
2031	1-year after piling ends
2036	6-years after piling ends
2042	12-years after piling ends
2048	18-years after piling ends

### 1.4.3 Cumulative Impact Assessment (CIA)

#### Projects Scoped In or Out of the Assessment

- 1.4.3.1 The focus of the quantitative population level assessment was on the potential impacts from other Scottish offshore windfarm projects with construction/piling overlapping or happening one year either side of the predicted piling window for Caledonia South (Table 1-4). Projects with no offshore construction timeline available in the public domain at the time of final Cumulative Impact Assessment (CIA) long list review (Volume 7A, Appendix 7-1: Cumulative Impact Assessment Methodology) were scoped out. Similarly, for projects without submission documents available in the public domain and where the number of WTG and OSP foundations to be installed was not available, the number of piling days cannot be predicted and therefore these projects were also scoped out. The timeline of the projects screened into the cumulative iPCoD for marine mammals alongside Caledonia South are shown in Table 1-4. It should be noted that for projects for which indicative piling schedules were provided within the submission documents, these were used in the CIA. For projects with indicative construction timeframes available within the public domain, but without specific details on years when the piling can be anticipated, it has been precautionarily assumed that piling may take place throughout the construction years.

- 1.4.3.3 It should be noted that the time window for projects considered in the cumulative iPCoD (2026 to 2038) is wider when compared to the CIA provided in the Volume 4, Chapter 7: Marine Mammals (2027 to 2031). This is to reflect the baseline conditions before any piling has started (2026) and account for the whole duration of piling at projects with temporal overlap with Caledonia South (Table 1-4).

Table 1-4: List of projects and developments considered in the marine mammal cumulative iPCoD along with the construction and anticipated piling timeframes.

Project	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038
Caledonia South			P	P	P								
Berwick Bank	P	P				P							
Green Volt		P											
Ossian						P	P	P	P	P	P	P	P
Salamander			P										
West of Orkney			P	P	P								
Ayre				P	P	P	P	P					
Broadshore			P	P	P	P							
Buchan			P	P	P	P	P						
Cenos				P	P	P	P	P					
Morven	P	P	P	P	P	P	P						
Muir Mhòr		P	P	P	P								
Sinclair			P	P	P	P							
Bellrock			P	P	P	P							
Spiorad na Mara			P	P	P	P							

- 1.4.3.4 Only projects with physical overlap between the respective array areas and relevant species' MU were screened into the cumulative iPCoD (Table 1-4). The cumulative iPCoD was carried out only for the whole MUs for harbour porpoise and minke whale (rather than the UK portion of the MU). For grey seal, the cumulative iPCoD was carried out for the combined MUs only (MF, ES and NC&O). The iPCoD for Caledonia South showed potential population reduction in the size impacted CES MU bottlenose dolphin population compared to un-impacted population (see Section 1.6.1). As such, precautionarily, the projects located further offshore (without spatial overlap of the array area and the CES MU) but with quantitative assessment against the CES MU population available in the submission documents, were also screened in for the assessment for the CES MU (Berwick Bank, Ossian, Salamander).

Table 1-5: List of projects and information whether these been screened in for species-specific iPCoD.

Project Name	HP (NS MU)	BND (CES MU)	BND (GNS MU)	MW (CGNS MU)	HS (MF SMU)	HS (NC&O SMU)	GS (MF, ES, NC&O SMUs)
Berwick Bank	Yes	Yes	Yes	Yes	No	No	Yes
Ossian	Yes	Yes	No	Yes	No	No	Yes
Salamander	Yes	Yes	No	Yes	No	No	Yes
West of Orkney	No	No	No	Yes	No	Yes	Yes
Ayre	Yes	No	No	Yes	No	Yes	Yes
Broadshore	Yes	No	No	Yes	Yes	No	Yes
Buchan	Yes	No	No	Yes	No	Yes	Yes
Cenos	Yes	No	No	Yes	No	No	Yes
Morven	Yes	No	No	Yes	No	No	Yes
Muir Mhòr	Yes	No	No	Yes	No	No	Yes
Sinclair	Yes	No	No	Yes	Yes	No	Yes
Bellrock	Yes	No	No	Yes	No	No	Yes
Spiorad na Mara	No	No	No	Yes	No	No	No
Green Volt	Yes	No	Yes	Yes	No	No	Yes

## Project-specific Piling Days

- 1.4.3.5 For projects with indicative piling schedules available in the public domain (Berwick Bank, Ossian, Salamander, West of Orkney) these were used in the modelling (Table 1-6).
- 1.4.3.6 There is a number of projects at early stage of development without submission documents available in the public domain. However, all projects taken forward to the cumulative iPCoD have information about anticipated number of wind turbine generators (WTGs) and/or number of piles to be installed available in the public domain (in line with screening discussed in paragraph 1.4.3.1). For these projects, the number of piling days was assessed based on the number of piles to be installed and the assumption that there will be up to two piles installed per day (Table 1-6). The number of piling days was evenly distributed throughout the construction years.

Table 1-6: Projects screened into the cumulative iPCoD with parameters used in the model.

Project	Predicted Number of Piled Foundations	Maximum Number of Piles	Total Number of Piling Days
<b>Projects with piling schedules available in the public domain</b>			
Berwick Bank	179 WTGs 8 OSPs	1,432 (WTGs) 64 (OSPs)	372
Ossian	265 WTG 15 OSPs	1,590 (WTGs) 216 (OSP)	602
Salamander	7 WTGs	80	40
West of Orkney	125 WTGs 5 OSPs	580	290
Green Volt	1 OSP	4	4
<b>Projects without piling-specific data available in the public domain</b>			
Ayre	67 WTGs	603	302
Bellrock	80 WTGs	960	480
Broadshore	60 WTGs	720	360
Buchan	70 WTGs	630	315
Cenos	95 WTGs	855	428
Morven	191 WTGs	2,292	1,146
Muir Mhor	67 WTGs	804	402



Project	Predicted Number of Piled Foundations	Maximum Number of Piles	Total Number of Piling Days
Sinclair	6 WTGs	72	36
Spiorad na Mara	66 WTGs	528	264

## Number of Animals Impacted and Reference Populations

- 1.4.3.7 For the Caledonia South scenarios taken forward to the cumulative iPCoD, the assumptions regarding the number of animals are the same as for the Caledonia South alone iPCoD (see paragraph 0).
- 1.4.3.8 For the projects listed in Table 1-6 and scoped into the assessment, the number of animals predicted to be disturbed were based on either the project-specific values presented in respective EIARs or calculated based on the Effective Deterrence Ranges (EDRs) and Small Cetaceans in European Atlantic waters and the North Sea (SCANS) IV densities (using densities for SCANS IV block where animals are located). These values can be found in each of the species-specific assessments for cumulative impacts (Table 1-8, Table 1-13, Table 1-18, Table 1-23 and Table 1-29)
- 1.4.3.9 The MU specific demographic parameters used in the iPCoD modelling were obtained from Sinclair *et al.* (2020<sup>7</sup>) and are summarised in Table 1-2.

## Selected Time Points from iPCoD Simulations

- 1.4.3.10 The time points have been selected to try and represent as best as possible, a level of periodicity on population estimates following piling. For example, before any piling started, end of first year of piling at the Caledonia South Site, final year of piling at the Caledonia South Site, final year of piling at the last project screened in for relevant species as well as six years intervals following the end of piling at the Caledonia South Site.
- 1.4.3.11 Given that projects screened in for the cumulative iPCoD are different depending on the species, the time points selected for the presentation of results are presented in the species-specific cumulative assessments (Table 1-9, Table 1-14, Table 1-19, Table 1-24 and Table 1-30).

## 1.5 Harbour Porpoise

### 1.5.1 Caledonia South Alone

- 1.5.1.1 The disturbance values used in the modelling were based on the worst case in terms of number of animals disturbed during single piling across all modelling locations in the Caledonia South Site for the installation of pin piles at jackets or anchors:
- Modelling for the whole NS MU:

- 8,201 harbour porpoise disturbed per day for installation of pin piles at jackets; and
- 6,648 harbour porpoise disturbed per day for installation of anchors.
- Modelling for the UK proportion of the NS MU:
  - 8,111 harbour porpoise disturbed per day for installation of pin piles at jackets; and
  - 6,604 harbour porpoise disturbed per day for installation of anchors.

1.5.1.2 The results of the iPCoD modelling for both the whole MU and the UK portion of the MU, show that the level of disturbance is not sufficient to result in any changes at the population level. The impacted population is predicted to continue at a stable trajectory and at 98.58% – 99.88% of the size of the un-impacted population (Table 1-7 and Figure 1-2).

Table 1-7: Results of iPCoD modelling for harbour porpoise (whole NS MU and the UK portion of the NS MU).

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
<b>NS MU</b>			
2027	346,602	346,602	100.00%
2028	346,758	346,758	100.00%
2029	346,581	346,159	99.88%
2030	346,717	345,278	99.58%
2031	347,144	345,781	99.61%
2036	346,319	345,264	99.70%
2042	347,105	346,046	99.69%
2048	346,116	345,059	99.69%
<b>UK portion of the NS MU</b>			
2027	159,634	159,634	100.00%
2028	160,027	160,027	100.00%
2029	160,163	159,619	99.66%
2030	159,846	158,022	98.86%
2031	160,044	158,322	98.92%

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
2036	160,189	158,820	99.15%
2042	159,981	158,620	99.15%
2048	160,684	159,318	99.15%
Note, time point descriptions are provided in Table 1-3.			




Figure 1-2: Predicted population trajectories for the un-impacted (baseline) and impacted harbour porpoise iPCoD simulations (top graph – NS MU and bottom graph – UK portion of the NS MU).

## 1.5.2 Cumulative Impact

### Number of Animals Impacted

1.5.2.1 For the cumulative scenario, the disturbance numbers for harbour porpoise used in the modelling are presented in Table 1-8.

Table 1-8: The number of harbour porpoise predicted to be disturbed for each project, based on either the project-specific values presented in respective EIARs or calculated based on the EDRs and SCANS IV densities.

Project	Number Animals Impacted	Data Source
<b>Projects with piling schedules available in the public domain</b>		
Berwick Bank	2,822 (WTG) / 1,754 (OSP)	EIA (RPS, 2022 <sup>8</sup> )
Ossian	3,856 (WTG) / 7,309 (OSP)	EIA (RPS, 2024 <sup>9</sup> )
Salamander	12,366	EIA (Salamander Offshore Wind Farm, 2023 <sup>10</sup> )
Green Volt	5,208	EIA (Royal HaskoningDHV, 2023 <sup>11</sup> )
<b>Projects without piling schedules available in the public domain</b>		
Ayre	199	SCANS IV & EDR
Broadshore	364	SCANS IV & EDR
Buchan	364	SCANS IV & EDR
Cenos	735	SCANS IV & EDR
Morven	1,271	SCANS IV & EDR
Muir Mhòr	423	SCANS IV & EDR
Sinclair	364	SCANS IV & EDR
Bellrock	423	SCANS IV & EDR

### Time Points

1.5.2.2 The time points selected for the presentation of cumulative iPCoD modelling results are presented in Table 1-9.

Table 1-9: Time points selected for the presentation of cumulative iPCoD modelling results for cumulative impacts on the NS MU for harbour porpoise.

Time Points Selected (Indicative Year)	Time Point Description
2025	Population size at the end of the year 2025, before all piling starts
2028	End of 1st year of piling at Caledonia South, piling at projects considered for harbour porpoise within the NS MU
2030	End of final year of piling at Caledonia South, piling at projects considered for harbour porpoise within the NS MU
2036	6-years after piling ends at Caledonia South, piling at projects considered for harbour porpoise within the NS MU
2038	8-years after piling ends at Caledonia South and the end of piling at all projects considered for harbour porpoise within the NS MU
2042	12-years after piling has ended at Caledonia South and 4-years after piling has ended at all projects considered for harbour porpoise within the NS MU
2048	18-years after piling has ended at Caledonia South and 10-years after piling has ended at all projects considered for harbour porpoise within the NS MU
2050*	20-years after piling has ended at Caledonia South and 12-years after piling has ended at all projects considered for harbour porpoise within the NS MU
* 2050 is the maximum extent of the iPCoD model predictions (25-years) and thus population trajectories cannot be predicted beyond this.	

## Results

- 1.5.2.3 The results of the iPCoD modelling show that the level of cumulative disturbance across Scottish projects in the NS MU is not sufficient to result in any changes at the population level. The impacted population is predicted to continue at a stable trajectory and at 98.18 – 99.69% of the size of the un-impacted population (Figure 1-3 and Table 1-10).

Table 1-10: Results of cumulative iPCoD modelling for harbour porpoise (NS MU).

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
2025	346,602	346,602	100.00%
2028	346,314	345,058	99.64%
2030	346,836	342,305	98.69%
2036	347,660	341,486	98.22%
2038	346,455	340,182	98.19%
2042	346,747	340,490	98.20%
2048	347,259	340,949	98.18%
2050	347,407	341,099	98.18%
Note, time point descriptions are provided in Table 1-9.			




Figure 1-3: Predicted population trajectories for the un-impacted (baseline) and impacted harbour porpoise cumulative iPCoD simulations (NS MU).

## 1.6 Bottlenose Dolphin

### 1.6.1 Caledonia South Alone

1.6.1.1 The disturbance values used in the modelling were based on the worst case in terms of number of animals disturbed during single piling across all modelling locations in the Caledonia South Site for the installation of pin piles at jackets or anchors:

- Modelling for the CES MU:
  - 52 bottlenose dolphins disturbed per day for installation of pin piles at jackets; and
  - 46 bottlenose dolphins disturbed per day for installation of anchors.
- Modelling for the GNS MU:
  - 35 bottlenose dolphins disturbed per day for installation of pin piles at jackets; and
  - 27 bottlenose dolphins disturbed per day for installation of anchors.

#### CES MU

1.6.1.2 The results of the cumulative iPCoD modelling show that for CES MU, although the level of disturbance has the potential to result in changes at the population level, the impacted population is predicted to continue on an increasing trajectory, the same as the un-impacted population (Figure 1-4).

1.6.1.3 In the year 2030, the impacted population size as a proportion of the unimpacted population size is at its lowest (93.04%) for the CES MU, which coincides with the final year of piling at the Caledonia South Site, before increasing back up to 94.99% by 2036 (Table 1-11). The population continues on an increasing trajectory, at a proportion of 94.64% of the unimpacted population size into the year 2048 (Table 1-11).



Table 1-11: Results of iPCoD modelling for bottlenose dolphin for the CES MU.

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
2027	244	244	100.00%
2028	254	254	100.00%
2029	263	255	96.96%
2030	273	254	93.04%
2031	282	263	93.26%
2036	339	322	94.99%
2042	420	398	94.76%
2048	522	494	94.64%
Note, time point descriptions are provided in Table 1-3.			




Figure 1-4: Predicted population trajectories for the un-impacted (baseline) and impacted bottlenose dolphin iPCoD simulations for the CES MU.

## GNS MU

- 1.6.1.4 The results of the iPCoD modelling show that for the GNS MU, the level of disturbance is not sufficient to result in any changes at the population level, since the impacted population is predicted to continue at a stable

trajectory and at 99.31 – 99.80% of the size of the un-impacted population (Table 1-12 and Figure 1-5).

Table 1-12: Results of iPCoD modelling for bottlenose dolphin for the GNS MU. Time point descriptions are provided in Table 1-3.

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
2027	2,024	2,024	100.00%
2028	2,023	2,023	100.00%
2029	2,025	2,021	99.80%
2030	2,027	2,013	99.31%
2031	2,024	2,011	99.36%
2036	2,023	2,014	99.56%
2042	2,031	2,021	99.51%
2048	2,033	2,023	99.51%




Figure 1-5: Predicted population trajectories for the un-impacted (baseline) and impacted bottlenose dolphin iPCoD simulations for the GNS MU.

## 1.6.2 Cumulative Impact

### Number of Animals Impacted

1.6.2.1 For the cumulative scenario, the disturbance numbers for bottlenose dolphin used in the modelling are presented in Table 1-13.

Table 1-13: The number of bottlenose dolphin predicted to be disturbed for each project, based on either the project-specific values presented in respective EIARs or calculated based on the EDRs and SCANS IV densities.

Project	Number Animals Impacted	Data Source
<b>CES MU</b>		
Berwick Bank	5 (WTG) / 4 (OSP)	EIAR (RPS, 2022 <sup>8</sup> )
Ossian	2 (WTG) / 4 (OSP)	EIAR (RPS, 2024 <sup>9</sup> )
Salamander	27	EIAR (Salamander Offshore Wind Farm, 2023 <sup>10</sup> )
<b>GNS MU</b>		
Berwick Bank	102 (WTG) / 64 (OSP)	EIAR (RPS, 2022 <sup>8</sup> )
Green Volt	204	EIAR (Royal HaskoningDHV, 2023 <sup>11</sup> )

### Time Points

1.6.2.2 The time points selected for the presentation of cumulative iPCoD modelling results are presented in Table 1-14 for the CES MU and GNS MU.

Table 1-14: Time points selected for the presentation of cumulative iPCoD modelling results for cumulative impacts on the CES MU for bottlenose dolphin.

Time Points Selected (Indicative Year)	Time Point Description
<b>CES MU</b>	
2025	Population size at the end of the year 2025, before all piling starts
2028	End of 1st year of piling at Caledonia South, piling at projects considered for bottlenose dolphin within the CES MU
2030	End of final year of piling at Caledonia South, piling at projects considered for bottlenose dolphin within the CES MU
2036	6-years after piling ends at Caledonia South, piling at projects considered for harbour porpoise within the NS MU

Time Points Selected (Indicative Year)	Time Point Description
2038	8-years after piling ends at Caledonia South and the end of piling at all projects considered for bottlenose dolphins within the NS MU
2042	12-years after piling has ended at Caledonia South and 4-years after piling has ended at all projects considered for bottlenose dolphin within the CES MU
2048	18-years after piling has ended at Caledonia South and 10-years after piling has ended at all projects considered for bottlenose dolphin within the CES MU
2050*	20-years after piling has ended at Caledonia South and 12-years after piling has ended at all projects considered for bottlenose dolphin within the CES MU
<b>GNS MU</b>	
2025	Population size at the end of the year 2025, before all piling starts
2028	End of 1st year of piling at Caledonia South, piling at projects considered for bottlenose dolphin within the GNS MU
2030	End of final year of piling at Caledonia South, piling at projects considered for bottlenose dolphin within the GNS MU
2031	1-year after piling ends at Caledonia South and the end of piling at all projects considered for bottlenose dolphin within the GNS MU
2036	6-years after piling ends at Caledonia South and 5-years after piling has ended at all projects considered for bottlenose dolphin within the GNS MU
2042	12-years after piling has ended at Caledonia South and 11-years after piling has ended at all projects considered for bottlenose dolphin within the GNS MU
2048	18-years after piling has ended at Caledonia South and 17-years after piling has ended at all projects considered for bottlenose dolphin within the GNS MU
2050*	20-years after piling has ended at Caledonia South and 19-years after piling has ended at all projects considered for bottlenose dolphin within the GNS MU
* 2050 is the maximum extent of the iPCoD model predictions (25-years) and thus population trajectories cannot be predicted beyond this.	

## Results

### CES MU

- 1.6.2.3 The results of the cumulative iPCoD modelling show that for CES MU, although the level of disturbance has the potential to result in changes at the population level, the impacted population is predicted to continue on an increasing trajectory, the same as the un-impacted population (Figure 1-6).
- 1.6.2.4 In the year 2030, the impacted population size as a proportion of the unimpacted population size is at its lowest (92.47%) for the CES MU, which coincides with the final year of piling at the Caledonia South Site, before increasing back up to 94.21% by 2036 (Table 1-15). The population then continues on an increasing trajectory, at a proportion of 93.82% of the unimpacted population size into the year 2050 (Table 1-10).

Table 1-15: Results of cumulative iPCoD modelling for bottlenose dolphin (CES MU).

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
2025	244	244	100.00%
2028	271	268	98.89%
2030	292	270	92.47%
2036	363	342	94.21%
2038	390	367	94.10%
2042	451	422	93.57%
2048	558	524	93.91%
2050	599	562	93.82%
Note, time point descriptions are provided in Table 1-14.			




Figure 1-6: Predicted population trajectories for the un-impacted (baseline) and impacted bottlenose dolphin cumulative iPCoD simulations (CES MU).

## GNS MU

### 1.6.2.5

The results of cumulative iPCoD modelling show that impacted GNS MU population is predicted to continue at a stable trajectory (Figure 1-5). In the year 2050, the impacted population size as a proportion of the unimpacted population size reaches its lowest (97.93%, Table 1-12), which coincides with the final time point in the cumulative iPCoD scenario for the GNS MU (20-years after piling has ended at the Caledonia South Site and 19-years after piling has ended at all projects considered for bottlenose dolphin within the GNS MU).

Table 1-16: Results of cumulative iPCoD modelling for bottlenose dolphin (GNS MU).

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
2025	2,024	2,024	100.00%
2028	2,032	2,002	98.52%
2030	2,035	1,996	98.08%
2031	2,033	1,993	98.03%
2036	2,034	1,993	97.98%
2042	2,035	1,993	97.94%
2048	2,034	1,992	97.94%
2050	2,032	1,990	97.93%
Note, time point descriptions are provided in Table 1-14.			



Figure 1-7: Predicted population trajectories for the un-impacted (baseline) and impacted bottlenose dolphin cumulative iPCoD simulations (GNS MU).



## 1.7 Minke Whale

### 1.7.1 Caledonia South Alone

1.7.1.1 The disturbance values used in the modelling were based on the worst case in terms of number of animals disturbed during single piling across all modelling locations in the Caledonia South Site for the installation of pin piles at jackets or anchors:

- Modelling for the whole NS MU:
  - 502 minke whales disturbed per day for installation of pin piles at jackets; and
  - 415 minke whales disturbed per day for installation of anchors.
- Modelling for the UK proportion of the NS MU:
  - 496 minke whales disturbed per day for installation of pin piles at jackets; and
  - 413 minke whales disturbed per day for installation of anchors.

1.7.1.2 The results of the iPCoD modelling for both the whole MU and the UK portion of the MU show that for the whole MU, the level of disturbance is not sufficient to result in any changes at the population level, since the impacted population is predicted to continue at a stable trajectory, the same as the un-impacted population, and at 99.90 – 100% of the size of the un-impacted population (Table 1-17 and Figure 1-8).

Table 1-17: Results of iPCoD modelling for minke whale (whole NS MU and the UK portion of the NS MU).

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
<b>GCNS MU</b>			
2027	20,120	20,120	100.00%
2028	20,107	20,107	100.00%
2029	20,085	20,082	99.99%
2030	20,116	20,107	99.96%
2031	20,127	20,120	99.97%
2036	20,085	20,084	100.00%
2042	19,961	19,959	99.99%
2048	19,995	19,993	99.99%
<b>UK portion of the GCNS MU</b>			
2027	10,288	10,288	100.00%
2028	10,289	10,289	100.00%
2029	10,255	10,252	99.97%
2030	10,249	10,239	99.90%
2031	10,244	10,237	99.93%
2036	10,248	10,246	99.98%
2042	10,247	10,245	99.98%
2048	10,254	10,252	99.98%
Note, time point descriptions are provided in Table 1-3.			




Figure 1-8: Predicted population trajectories for the un-impacted (baseline) and impacted minke whale iPCoD simulations (top graph – GCNS MU and bottom graph – UK portion of the GCNS MU)

## 1.7.2 Cumulative Impact

### Number of Animals Affected

- 1.7.2.1 For the cumulative scenario, the disturbance numbers for minke whales used in the modelling are presented in Table 1-18.

Table 1-18: The number of minke whales predicted to be disturbed for each project, based on either the project-specific values presented in respective EIARs or calculated based on the EDRs and SCANS IV densities.

Project	Number Animals Impacted	Data Source
<b>Projects with piling schedules available in the public domain</b>		
Berwick Bank	132 (WTG) / 82 (OSP)	EIA (RPS, 2022 <sup>8</sup> )
Ossian	168 (WTG) / 318 (OSP)	EIA (RPS, 2024 <sup>9</sup> )
Salamander	1,535	EIA (Salamander Offshore Wind Farm, 2023 <sup>10</sup> )
West of Orkney	90	EIA (Xodus Group Ltd, 2023 <sup>12</sup> )
Green Volt	265	EIA (Royal HaskoningDHV, 2023 <sup>11</sup> )
<b>Projects without piling schedules available in the public domain</b>		
Ayre	8	SCANS IV & EDR
Broadshore	9	SCANS IV & EDR
Buchan	9	SCANS IV & EDR
Cenos	7	SCANS IV & EDR
Morven	89	SCANS IV & EDR
Muir Mhòr	30	SCANS IV & EDR
Sinclair	9	SCANS IV & EDR
Bellrock	30	SCANS IV & EDR
Spiorad na Mara	63	SCANS IV & EDR

## Time Points

- 1.7.2.2 The time points selected for the presentation of cumulative iPCoD modelling results are presented in Table 1-19.

Table 1-19: Time points selected for the presentation of cumulative iPCoD modelling results for cumulative impacts on the NS MU for minke whales.

Time Points Selected (Indicative Year)	Time Point Description
2025	Population size at the end of the year 2025, before all piling starts
2028	End of 1st year of piling at Caledonia South, piling at projects considered for minke whales within the CGNS MU
2030	End of final year of piling at Caledonia South, piling at projects considered for minke whales within the CGNS MU
2036	6-years after piling ends at Caledonia South, piling at projects considered for minke whales within the CGNS MU
2038	8-years after piling ends at Caledonia South and the end of piling at all projects considered for minke whales within the CGNS MU
2042	12-years after piling has ended at Caledonia South and 4-years after piling has ended at all projects considered for minke whales within the CGNS MU
2048	18-years after piling has ended at Caledonia South and 10-years after piling has ended at all projects considered for minke whales within the CGNS MU
2050*	20-years after piling has ended at Caledonia South and 12-years after piling has ended at all projects considered for minke whales within the CGNS MU
* 2050 is the maximum extent of the iPCoD model predictions (25-years) and thus population trajectories cannot be predicted beyond this	

## Results

- 1.7.2.3 The results of the cumulative iPCoD modelling show that the impacted population is predicted to continue at a stable trajectory and at 99.99% – 100% of the size of the un-impacted population (Table 1-20 and Figure 1-9).

Table 1-20: Results of cumulative iPCoD modelling for minke whales (CGNS MU).

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
2025	20,120	20,120	100.00%
2028	19,997	19,997	100.00%
2030	20,047	20,045	99.99%
2036	19,877	19,877	100.00%
2038	19,910	19,910	100.00%
2042	19,903	19,903	100.00%
2048	19,802	19,802	100.00%
2050	19,781	19,781	100.00%
Note, time point descriptions are provided in Table 1-19.			



Figure 1-9: Predicted population trajectories for the un-impacted (baseline) and impacted minke whale cumulative iPCoD simulations (CGNS MU).

## 1.8 Harbour Seal

### 1.8.1 Caledonia South Alone

1.8.1.1 The disturbance values used in the modelling were based on the worst case in terms of number of animals disturbed during single piling across all modelling locations in the Caledonia South Site for the installation of pin piles at jackets or anchors:

- Moray Firth Seal Management Unit (SMU):
  - 58 harbour seals disturbed per day for installation of pin piles at jackets; and
  - 39 harbour seals disturbed per day for installation of anchors.
- North Coast and Orkney SMU:
  - 43 harbour seals disturbed per day for installation of pin piles at jackets; and
  - 6 harbour seals disturbed per day for installation of anchors.

1.8.1.2 It is important to note when considering the iPCoD results for harbour seals, that the NC&O MU is currently in decline with an average rate of decrease over the last 5 years of ~8.5% per (SCOS 2022<sup>13</sup>). It is noted in SCOS (2022<sup>13</sup>) that the 2019 count was similar to the 2016 count, which could indicate that the decline has slowed, but more counts are required to confirm this. When interpreting the iPCoD results it is therefore necessary to understand that the un-impacted baseline MU is predicted to significantly decline in the absence of any impacts.

#### **Moray Firth MU**

1.8.1.3 The results of the iPCoD modelling show that for the MF MU, the level of disturbance is not sufficient to result in any changes at the population level, since the impacted population is predicted to continue at a stable trajectory and at 100% of the size of the un-impacted population (Table 1-21 and Figure 1-10).

Table 1-21: Results of iPCoD modelling for harbour seal (MF SMU).

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
2027	956	956	100.00%
2028	957	957	100.00%
2029	957	957	100.00%
2030	961	961	100.00%
2031	959	959	100.00%
2036	963	963	100.00%
2042	961	961	100.00%
2048	966	966	100.00%
Note, time point descriptions are provided in Table 1-3.			



Figure 1-10: Predicted population trajectories for the un-impacted (baseline) and impacted harbour seal iPCoD simulations (MF SMU, Scenario 2).

### North Coast and Orkney MU

- 1.8.1.4 The results of the iPCoD modelling show that for the NC&O MU, the level of disturbance is not sufficient to result in any changes at the population level, since the impacted population is predicted to continue declining at the same rate as the un-impacted population, at 100% of the size of the un-impacted population (Table 1-22 and Figure 1-11).



Table 1-22: Results of iPCoD modelling for harbour seal (NC&O SMU).

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
2027	1,950	1,950	100.00%
2028	1,748	1,748	100.00%
2029	1,566	1,566	100.00%
2030	1,407	1,407	100.00%
2031	1,262	1,262	100.00%
2036	726	726	100.00%
2042	374	374	100.00%
2048	193	193	100.00%
Note, time point descriptions are provided in Table 1-3.			




Figure 1-11: Predicted population trajectories for the un-impacted (baseline) and impacted harbour seal iPCoD simulations (NC&O SMU).

## 1.8.2 Cumulative Impact

### Number of Animals Impacted

1.8.2.1 For cumulative scenarios the disturbance numbers for harbour seal used in the modelling are presented in Table 1-23.

Table 1-23: The number of harbour seal predicted to be disturbed for each project, based on either the project-specific values presented in respective EIARs or calculated based on the EDRs and SCANS IV densities.

Project	Number Animals Impacted	Data Source
<b>MF SMU</b>		
Broadshore	1	SCANS IV & EDR
Sinclair	1	SCANS IV & EDR
<b>NC&amp;O SMU</b>		
West of Orkney	176	EIA (Xodus Group Ltd, 2023 <sup>12</sup> )
Ayre	13	SCANS IV & EDR
Buchan	1	SCANS IV & EDR

### Time Points

1.8.2.2 The time points selected for the presentation of cumulative iPCoD modelling results are presented in Table 1-24.

Table 1-24: Time points selected for the presentation of cumulative iPCoD modelling results for cumulative impacts on the MF SMU for harbour seals.

Time Points Selected (Indicative Year)	Time Point Description
<b>MF SMU</b>	
2025	Population size at the end of the year 2025, before all piling starts
2028	End of 1st year of piling at Caledonia South, piling at projects considered for harbour seal within the MF SMU
2030	End of final year of piling at Caledonia South, piling at projects considered for harbour seal within the MF SMU
2031	1-year after piling ends at Caledonia South and the end of piling at all projects considered for harbour seal within the MF SMU

Time Points Selected (Indicative Year)	Time Point Description
2036	6-years after piling ends at Caledonia South and 5-years after piling has ended at all projects considered for harbour seal within the MF SMU
2042	12-years after piling has ended at Caledonia South and 11-years after piling has ended at all projects considered for harbour seal within the MF SMU
2048	18-years after piling has ended at Caledonia South and 17-years after piling has ended at all projects considered for harbour seal within the MF SMU
2050*	20-years after piling has ended at Caledonia South and 19-years after piling has ended at all projects considered for harbour seal within the MF SMU
<b>NC&amp;O SMU</b>	
2025	Population size at the end of the year 2025, before all piling starts
2028	End of 1st year of piling at Caledonia South, piling at projects considered for harbour seal within the NC&O SMU
2030	End of final year of piling at Caledonia South, piling at projects considered for harbour seal within the NC&O SMU
2033	3-years after piling ends at Caledonia South and the end of piling at all projects considered for harbour seal within the NC&O SMU
2036	6-years after piling ends at Caledonia South and 3-years after piling has ended at all projects considered for harbour seal within the NC&O SMU
2042	12-years after piling has ended at Caledonia South and 9-years after piling has ended at all projects considered for harbour seal within the NC&O SMU
2048	18-years after piling has ended at Caledonia South and 15-years after piling has ended at all projects considered for harbour seal within the NC&O SMU
2050*	20-years after piling has ended at Caledonia South and 17-years after piling has ended at all projects considered for harbour seal within the NC&O SMU
* 2050 is the maximum extent of the iPCoD model predictions (25-years) and thus population trajectories cannot be predicted beyond this.	

## Moray Firth MU

1.8.2.3 The results of the iPCoD modelling show that for the MF MU, the level of cumulative disturbance is not sufficient to result in any changes at the population level, since the impacted population is predicted to continue at a stable trajectory and at 100% of the size of the un-impacted population (Table 1-25 and Figure 1-12).

Table 1-25: Results of cumulative iPCoD modelling for harbour seals (MF SMU).

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
2025	956	956	100%
2028	958	958	100%
2030	959	959	100%
2031	959	959	100%
2036	964	964	100%
2042	966	966	100%
2048	971	971	100%
2050	972	972	100%
Note, time point descriptions are provided in Table 1-24.			




Figure 1-12: Predicted population trajectories for the un-impacted (baseline) and impacted harbour seal cumulative iPCoD simulations (MF SMU).

### North Coast and Orkney MU

1.8.2.4 The results of the iPCoD modelling show that for the NC&O MU, the level of disturbance is not sufficient to result in any changes at the population level, since the impacted population is predicted to continue declining at the same rate as the un-impacted population, at 99.91% - 100% of the size of the un-impacted population (Table 1-26 and Figure 1-13).

Table 1-26: Results of cumulative iPCoD modelling for harbour seals (NC&O SMU).

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
2025	1,950	1,950	100.00%
2028	1,396	1,396	100.00%
2030	1,121	1,120	99.91%
2033	807	807	100.00%
2036	582	582	100.00%
2042	300	300	100.00%
2048	156	156	100.00%
2050	125	125	100.00%
Note, time point descriptions are provided in Table 1-24.			




Figure 1-13: Predicted population trajectories for the un-impacted (baseline) and impacted harbour seal cumulative iPCoD simulations (NC&O SMU).

## 1.9 Grey Seal

### 1.9.1 Caledonia South Alone

1.9.1.1 The disturbance values used in the modelling were based on the worst case in terms of number of animals disturbed during single piling across all modelling locations in the Caledonia South Site for the installation of pin piles at jackets or anchors:

- Moray Firth SMU:
  - 1,921 grey seals disturbed per day for installation of pin piles at jackets; and
  - 1,650 grey seals disturbed per day for installation of pin piles at anchors.
- Three SMUs combined:
  - 4,425 grey seals disturbed per day for installation of pin piles at jackets; and
  - 2,960 grey seals disturbed per day for installation anchors.

### MF SMU

1.9.1.2 The results of the iPCoD modelling show that for the MF MU, the level of disturbance is not sufficient to result in any changes at the population level, since the impacted population is predicted to continue at a stable trajectory and at 99.38% – 99.89% of the size of the un-impacted population (Table 1-27 and Figure 1-14).

Table 1-27: Results of iPCoD modelling for grey seal (MF SMU).

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
2027	7,380	7,380	100.00%
2028	7,429	7,429	100.00%
2029	7,480	7,472	99.89%
2030	7,535	7,489	99.39%
2031	7,593	7,549	99.42%
2036	7,795	7,747	99.38%
2042	8,145	8,096	99.40%
2048	8,451	8,400	99.40%
Note, time point descriptions are provided in Table 1-3.			




Figure 1-14: Predicted population trajectories for the un-impacted (baseline) and impacted grey seal iPCoD simulations (MF SMU).

## SMUs combined (MF, ES and NC&O)

- 1.9.1.3 The results of the iPCoD modelling show that for all three seal MUs combined, the level of disturbance is not sufficient to result in any changes at the population level, since the impacted population is predicted to

continue at a stable trajectory and at 99.98% – 100% of the size of the un-impacted population (Table 1-28 and Figure 1-15).

Table 1-28: Results of iPCoD modelling for grey seal (MF, ES and NC&O SMUs combined).

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
2027	52,356	52,356	100.00%
2028	52,778	52,778	100.00%
2029	53,084	53,084	100.00%
2030	53,482	53,474	99.99%
2031	53,755	53,747	99.99%
2036	55,323	55,314	99.98%
2042	57,602	57,593	99.98%
2048	59,586	59,576	99.98%
Note, time point descriptions are provided in Table 1-3.			




Figure 1-15: Predicted population trajectories for the un-impacted (baseline) and impacted grey seal for iPCoD simulations (MF, ES and NC&O SMUs combined).



## 1.9.2 Cumulative Impact

### Number of Animals Impacted

1.9.2.1 For cumulative scenarios the disturbance numbers for grey seal used in the modelling are presented in Table 1-29.

Table 1-29: The number of grey seal predicted to be disturbed for each project, based on either the project-specific values presented in respective EIARs or calculated based on the EDRs and SCANS IV densities.

Project Screened Into Assessment	Number Animals Impacted	Data Source
<b>Projects with piling schedules available in the public domain</b>		
Berwick Bank	1,358 (WTG) / 705 (OSP)	EIA (RPS, 2022 <sup>8</sup> )
Ossian	131 (WTG) / 343 (OSP)	EIA (RPS, 2024 <sup>9</sup> )
Salamander	73	EIA (Salamander Offshore Wind Farm, 2023 <sup>10</sup> )
West of Orkney	2887	EIA (Xodus Group Ltd, 2023 <sup>12</sup> )
Green Volt	336	EIA (Royal HaskoningDHV, 2023 <sup>11</sup> )
<b>Projects without piling schedules available in the public domain</b>		
Ayre	610	SCANS IV & EDR
Broadshore	138	SCANS IV & EDR
Buchan	232	SCANS IV & EDR
Cenos	6	SCANS IV & EDR
Morven	519	SCANS IV & EDR
Muir Mhòr	160	SCANS IV & EDR
Sinclair	178	SCANS IV & EDR
Bellrock	55	SCANS IV & EDR

### Time Points

1.9.2.2 The time points selected for the presentation of cumulative iPCoD modelling results are presented in Table 1-30.

Table 1-30: Time points selected for the presentation of cumulative iPCoD modelling results for cumulative impacts on the combined SMUs for grey seals.

Time Points Selected (Indicative Year)	Time Point Description
2025	Population size at the end of the year 2025, before all piling starts
2028	End of 1st year of piling at Caledonia South, piling at projects considered for grey seal within the SMUs combined
2030	End of final year of piling at Caledonia South, piling at projects considered for grey seal within the SMUs combined
2036	6-years after piling ends at Caledonia South, piling at projects considered for grey seal within the SMUs combined
2038	8-years after piling ends at Caledonia South and the end of piling at all projects considered for grey seal within the SMUs combined
2042	12-years after piling has ended at Caledonia South and 4-years after piling has ended at all projects considered for grey seal within the SMUs combined
2048	18-years after piling has ended at Caledonia South and 10-years after piling has ended at all projects considered for grey seal within the SMUs combined
2050*	20-years after piling has ended at Caledonia South and 12-years after piling has ended at all projects considered for grey seal within the SMUs combined
* 2050 is the maximum extent of the iPCoD model predictions (25-years) and thus population trajectories cannot be predicted beyond this.	

## Results

### SMUs combined (MF, ES and NC&O)

- 1.9.2.3 The results of the cumulative iPCoD modelling show that for all seal SMUs combined, the impacted population is predicted to continue at a stable trajectory and at 99.91% – 100% of the size of the un-impacted population (Table 1-31 and Figure 1-16).

Table 1-31: Results of cumulative iPCoD modelling for grey seals (combined SMUs).

Time Point	Unimpacted Population Mean Size	Impacted Population Mean Size	Impacted Population as a Proportion of the Unimpacted Population
2025	52,356	52,356	100.00%
2028	53,344	53,344	100.00%
2030	54,104	54,062	99.92%
2036	56,198	56,150	99.91%
2038	56,998	56,951	99.92%
2042	58,498	58,449	99.92%
2048	60,774	60,722	99.91%
2050	61,598	61,545	99.91%
Note, time point descriptions are provided in Table 1-30.			




Figure 1-16: Predicted population trajectories for the un-impacted (baseline) and impacted grey seal cumulative iPCoD simulations (combined SMUs).

## 1.10 References

- <sup>1</sup> Harwood, J., King, S., Schick, R., Donovan, C. and Booth, C. (2014) 'A protocol for Implementing the Interim Population Consequences of Disturbance (PCoD) approach: Quantifying and assessing the effects of UK offshore renewable energy developments on marine mammal populations'. Report Number SMRUL-TCE-2013-014. Scottish Marine And Freshwater Science 5(2)
- <sup>2</sup> King, S.L., Schick, R.S., Donovan, C., Booth, C.G., Burgman, M., Thomas, L. and Harwood, J. (2015) 'An interim framework for assessing the population consequences of disturbance'. *Methods in Ecology and Evolution* 6: 1150-1158
- <sup>3</sup> Booth, C.G., Heinis, F. and Harwood, J. (2019) 'Updating the Interim PCoD Model: Workshop Report - New transfer functions for the effects of disturbance on vital rates in marine mammal species'. Report Code SMRUC-BEI-2018-011, submitted to the Department for Business, Energy and Industrial Strategy (BEIS), February 2019 (unpublished)
- <sup>4</sup> Donovan, C., Harwood, J., King, S., Booth, C., Caneco, B. and Walker, C. (2016) 'Expert elicitation methods in quantifying the consequences of acoustic disturbance from offshore renewable energy developments'. *Advances in Experimental Medicine and Biology*
- <sup>5</sup> Czapanskiy, M.F., Savoca, M.S., Gough, W.T., Segre, P.S., Wisniewska, D.M., Cade, D.E. and Goldbogen, J.A. (2021) 'Modelling short-term energetic costs of sonar disturbance to cetaceans using high-resolution foraging data'. *Journal of Applied Ecology* 58: 1643-1657
- <sup>6</sup> Schwacke, L.H., Marques, T.A., Thomas, L., Booth, C., Balmer, B.C., Barratclough, A., Colegrove, K., De Guise, S., Garrison, L.P. and Gomez, F.M. (2021) 'Modeling population impacts of the Deepwater Horizon oil spill on a long-lived species with implications and recommendations for future environmental disasters'. *Conservation Biology*
- <sup>7</sup> Sinclair, R., Harwood, J. and Sparling, C. (2020) 'Review of demographic parameters and sensitivity analysis to inform inputs and outputs of population consequences of disturbance assessments for marine mammals'. 11:74
- <sup>8</sup> RPS (2022) 'Berwick Bank Wind Farm Environmental Impact Assessment Report Volume 2, Chapter 10: Marine Mammals'. Report to SSE Renewables
- <sup>9</sup> RPS (2024) 'Ossian - Chapter 1: Marine Mammals Array EIA Report'
- <sup>10</sup> Salamander Offshore Wind Farm (2023) 'Salamander Offshore EIA Report. Volume ER.A.3, Chapter 11: Marine Mammals'
- <sup>11</sup> Royal HaskoningDHV (2023) 'Green Volt, Offshore Windfarm EIA Report. Volume 1, Chapter 11 Marine Mammal Ecology'
- <sup>12</sup> Xodus Group Ltd (2023) 'West of Orkney Windfarm Offshore EIA Report. Volume 1, Chapter 12 - Marine Mammals and Megafauna'

<sup>13</sup> SCOS (2022) 'Scientific Advice on Matters Related to the Management of Seal Populations: 2021'

Caledonia Offshore Wind Farm  
5th Floor, Atria One  
144 Morrison Street  
Edinburgh  
EH3 8EX

[www.caledoniaoffshorewind.com](http://www.caledoniaoffshorewind.com)

